



HEAT SHRINK OUTDOOR TERMINATION KIT – MONOe

Nexans **MONO** type MV cable terminations are Heat Shrink Outdoor Termination Kit consisting of a **Single-piece Heat Shrink Tube – the Anti tracking tube**. It features **Integral Stress Control** co-extruded into the heat shrink tubing suitable for terminating 1 core & 3 core polymeric insulated cables, such as XLPE or EPR, with working voltage classes of up to 36 kV.

Cable	<input type="button" value="XLPE / PVC"/>	<input type="button" value="PILC"/>				
KV	<input type="button" value="11 kV"/>	<input type="button" value="3.3 kV"/>	<input type="button" value="6.6 kV"/>	<input type="button" value="11 kV"/>	<input type="button" value="22 kV"/>	<input type="button" value="33 kV"/>
Core	<input type="button" value="1 Core"/>	<input type="button" value="2 Core"/>	<input type="button" value="3 Core"/>	<input type="button" value="3.5 / 4 Core"/>		
Cable Size (Sq. Mm)	<input type="button" value="4 - 35"/>	<input type="button" value="50 - 120"/>	<input type="button" value="150 - 240"/>	<input type="button" value="300 - 400"/>	<input type="button" value="500 - 630"/>	<input type="button" value="800 - 1000"/>

1

[Add to quote](#)

Categories: [CABLE ACCESSORIES](#), [CABLE JOINTING & TERMINATION KITS](#) Tags: [Heat Shrink Outdoor Termination](#), [Outdoor Termination Kit](#)

[Description](#) [Additional information](#) [Document](#) [Reviews \(0\)](#)

Description

The “**MONOe**” Outdoor terminations are designed for max system voltages of 36 kV, for compact switchgears as well as for installations where space is limited. Easy, quick to install, reducing installation time and errors.

The kit consists of a stress control mastic strip, a co extruded dual wall tube and red anti-tracking sealing mastic.

MONOe 1C Dimensions:

MONOe 3C Dimensions:



Related products

HEAT SHRINK
TRANSITION JOINT

Select options

MECHANICAL
CONNECTORS AND
MECHANICAL LUGS

Select options


HIGH INSULATION /
ELASTOMERIC
DOUBLE LAYER
TUBING


Select options


T SHAPED SCREENED
SEPARABLE
COUPLING
CONNECTORS


Select options

Reach Us

 25, Shah Industrial
Estate, Kotambi,
Vadodara, Gujarat –
391510

 +91-7574806580

 02668-299156

 info@thepcatech.com

Our Company

[About Company](#)

[Privacy Policy](#)

[Terms of Use](#)

[Our Solutions](#)

[Blogs](#)

Quick Links

[Medium Voltage Cable](#)

[Accessories](#)

[Cable Termination](#)

[Cable Jointing kit](#)

Recent Post

May 4, 2020

Shear Bolt Lugs &
Connectors

October 11, 2020

10 Tips for proper
installation of Screened
Separable Connectors

 Call Me Back

